## AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## LISTING OF CLAIMS:

- 1. (original) An animal growth promoting composition, characterised in being a liquid solution comprising 1.1 to 5 % by weight of a sorbic acid or a sorbate calculated as sorbic acid, 45 to 93.9 % by weight of formic acid and 5 to 50 % by weight of propionic acid.
- 2. (original) A composition as defined in claim 1, characterised in that the sorbate is potassium sorbate.
- 3. (currently amended) A composition as defined in claim 1 [[or 2]], characterised in that the formic acid has a concentration of at least 70 % by weight.
- 4. (currently amended) A composition as defined in any of claims 1 to 3 claim 1, characterised in that the formic acid is partly neutralised with ammonia.
- 5. (currently amended) A composition as defined in any-of claims 1 to 4 claim 1, characterised in that the composition additionally contains water.
- 6. (currently amended) A composition as defined in any of claims 1 to 5 <u>claim 1</u>, **characterised** in that the composition comprises 2 to 4 % by weight of sorbic acid or a sorbate calculated as sorbic acid, 70 to 90 % by weight of partly neutralised formic acid and 8 to 20 % by weight of propionic acid and 0 to 20 % by weight of water.

- 7. (original) A method for preparing an animal growth promoting composition, **characterised** in that sorbic acid or a sorbate is first dissolved in propionic acid, the solution being subsequently mixed into formic acid in order to form solution ready for use.
- 8. (original) A method as defined in claim 7, characterised in that the sorbate is potassium sorbate.
- 9. (original) A method as defined in claim 7, characterised in that the formic acid has a concentration of at least 70 % by weight.
- 10. (original) A method as defined in claim 7, characterised in that the formic acid is partly neutralised with ammonia.
- 11. (currently amended) A method as defined in any of claims 7 to 10 claim 7, characterised in that the solution ready for use comprises 2 to 5 % by weight of sorbic acid or a sorbate calculated as sorbic acid, 45 to 90 % by weight of formic acid and 8 to 50 % by weight of propionic acid.
- 12. (original) A method as defined in claim 11, characterised in that the solution ready for use additionally contains water.
- 13. (original) Use of a composition defined in claim 1 as a growth promoter for slaughter animals.
- 14. (original) Use of a composition defined in claim 1 as a growth promoter, characterised in that the growth

promoter is administered to animals in connection with feeding.

- 15. (original) Use of a composition defined in claim 1 as a growth promoter, **characterised** in that the growth promoter is added to animal feed in liquid form or absorbed into a solid carrier.
- 16. (original) Use of a composition defined in claim 15 as a growth promoter, **characterised** in that the animal feed is selected among organic products, such as feed raw materials, feed preparations, corn, vegetable and animal protein feed.